



8/13/2013

Vitor Pimenta  
Comma Oil and Chemicals Ltd  
Dering Way, Gavesend  
Kent DA12 2QX,  
England  
V.Pimenta@commaoil.com

Dear Vitor,

**CONFORMANCE TO CES 20076 ENGINE OIL SPECIFICATION**

Results from tests according to CES 20076 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20076 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20076.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: Comma Transflow SD 15W-40  
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel A. Nyman'.

Daniel A. Nyman  
Chemical Technology

**DISCLAIMER:** Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20076 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.  
500 Jackson Street  
Columbus, IN 47201 USA  
Phone 1 812 377 5000  
cummins.com

Revision Date: May 1, 2006



8/13/2013

Vitor Pimenta  
Comma Oil and Chemicals Ltd  
Dering Way, Gavesend  
Kent DA12 2QX,  
England  
V.Pimenta@commaoil.com

Dear Vitor,

### CONFORMANCE TO CES 20077 ENGINE OIL SPECIFICATION

Results from tests according to CES 20077 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20077 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20077.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: Comma Transflow SD 15W-40  
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

Daniel A. Nyman  
Chemical Technology

**DISCLAIMER:** Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20077 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.  
500 Jackson Street  
Columbus, IN 47201 USA  
Phone 1 812 377 5000  
cummins.com

Revision Date: May 1, 2006



8/13/2013

Vitor Pimenta  
Comma Oil and Chemicals Ltd  
Dering Way, Gavesend  
Kent DA12 2QX,  
England  
V.Pimenta@commaoil.com

Dear Vitor,

### CONFORMANCE TO CES 20078 ENGINE OIL SPECIFICATION

Results from tests according to CES 20078 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20078 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20078.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: Comma Transflow SD 15W-40  
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel Nyman'.

Daniel A. Nyman  
Chemical Technology

**DISCLAIMER:** Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20078 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.  
500 Jackson Street  
Columbus, IN 47201 USA  
Phone 1 812 377 5000  
cummins.com

Revision Date: May 1, 2006



Ford Motor Company Limited

Fuels & Lubes Department  
Ford Motor Company  
Dunton Technical Centre  
Room 15/GB-E10-B  
Laindon, Basildon,  
Essex, SS15 6EE

Tel. : + 44 (0) 1268 402801  
Fax: + 44 (0) 1268 405619

Date: 14<sup>th</sup> July 2016

Mr.Vince Miller  
Comma Oil & Chemicals Ltd  
Dering Way,  
Gravesend,  
Kent, DA12 2QX

Dear Mr Miller,

**Ref: Request of Comma Oil & Chemicals Limited for Claiming Ford WSS-M2C913-D Specification on Cosan Lubricants' product "Comma Xtech 5W-30".**

We acknowledge your claim for Ford WSS-M2C913-D on Comma Xtech 5W-30.

However, please ensure that you adhere to these formulations including the additive types, additive treat rates and the base oils used for blending. Ford has the right to take samples, request analysis of the blends and have the right to ask you to remove the product from the market if requirements are not met.

Ford hereby excludes all liability whatsoever for our above acknowledgement and reserves our rights, as the testing has not been conducted by Ford and the acknowledgement was based only on the information provided.

**This acknowledgement from Ford in no way implies that Ford is recommending the oil. In no circumstances can any actual or implied recommendation be made to third parties.**

Yours sincerely,

**Suhair Abdelhalim  
Senior Lubricant Engineer**

**Rhys Davies  
Fuels & Lubes Supervisor**



MAN Truck & Bus AG Postfach 44 02 58 90207 Nürnberg

COMMA OIL & CHEMICALS LTD.

Mr. Karl Rudman

Dering Way

DA12 2QX Gravesend Kent

England

Unser Hausruf

0911/420-2713

Unser Telefax

0911/420-1928

Abt/Kürzel

EPTAO

E-Mail

[bstinfo@man.eu](mailto:bstinfo@man.eu)

Nürnberg,

24.07.2018

## **Prolongation of approval against M 3477**

Start of approval: 19.06.2015

Prolongation of approval until: 18.06.2021

**Marketing area** worldwide

Dear Sirs,

we are pleased to inform you, that the approval for the diesel engine oil bearing the designation

### **Comma TransFlow UD 10W-40**

has been prolonged under MAN approval-no.

### **TUC 0211/15 for SAE 10W-40**

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above, unless an prolongation has been applied for in good time by the maker or supplier.

Yours faithfully,

MAN Truck & Bus AG

***This letter was created electronically without signature.***

Andrea Dawidczak

Vorsitzender des Aufsichtsrates: Andreas Renschler

Vorstand: Joachim Drees (Vorsitzender), Dr. Ulrich Dilling · Dirk  
Große-Loheide · Dr. Carsten Intra, Jan-Henrik Lafrentz ·  
Dr. Frederik Zohm

Sitz der Gesellschaft: München

Commerzbank Aktiengesellschaft, Dachau

IBAN: DE33 7004 0041 0145 0600 00

Stadtparkassen München

IBAN: DE36 7015 0000 0089 1044 00

BLZ 700 400 41 Konto 1450600

BIC: COBADEFFXXX

BLZ 701 500 00 Konto 89104400

BIC: SSKMDEMM

Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

MAN Truck & Bus AG

Postfach 44 02 5 90207 Nürnberg

Vogelweierstraße 33 90441 Nürnberg

Telefon +49 911 420-0 oder -Durchwahl

Telefax +49 911 420 446522

Wagenladungen: Nbg.-Rbf.

Lkw-Sendungen: Nbg.- Vogelweierstr. 33

[www.man-mn.com](http://www.man-mn.com)

Ein Unternehmen der MAN Gruppe

Last Updated: 23 April 2019 4:36 pm



Daimler AG · 70546 Stuttgart

Comma Oil & Chemicals Ltd  
 Dering Way  
 DA12 2QX GRAVESEND  
 UNITED KINGDOM

		Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
		24801	59756	C651
Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date	
10.01.2019	RD/PDI-F-102457	Mrs. Fuchs	08.04.2019	

## Additional MB-Approval Certificate

Additional Formulation – Engine Oil

**Additional MB-Approval 229.31/229.51/229.52 for: "Comma Syner-Z 5W-30 "**  
**Oil-Code: OR-F64662Q-A, SAE-Grade: 5W-30**

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.31/229.51/229.52 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
 Daimler AG

i.V. Telse Tschamon

i.V. Dr. Jochen Betsch



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd  
 Attn. Mr. V. Pimenta  
 Dering Way  
 DA 12 2QX GRAVESEND  
 UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
16.10.2014	RD/PDI-F-50083	Mrs. Fuchs	04.12.2014

## MB-Approval Certificate

### MB-Approval 228.3 for Engine Oil: "TransFlow AD 10W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 29.10.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address. Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely  
 Daimler AG

i.V. Dr. Wolfgang Sladek

i.V. Dr. Oliver Storz



Daimler AG · 70546 Stuttgart

Comma Oil & Chemicals Ltd  
 Dering Way  
 DA12 2QX GRAVESEND  
 UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
10.01.2019	RD/PDI-F-102447	Mrs. Fuchs	08.04.2019

## MB-Approval Certificate

Changing the Formulation

**MB-Approval 228.3 for Engine Oil: "TransFlow SD 15W-40"**  
**Oil-Code: OR-F626 16D-A, SAE-Grade: 15W-40**

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.  
 Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely  
 Daimler AG

i.V. Johannes Leweux

i.V. Dr. Jochen Betsch

Daimler AG, Stuttgart, Germany  
 Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19 360  
 Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff  
 Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman;  
 Martin Daum, Renata Jungo Brüngger, Ola Källenius, Wilfried Porth,  
 Britta Seeger, Hubertus Troska, Bodo Uebber

Daimler AG  
 70546 Stuttgart  
 Telefon/Phone +49 7 11 17-0  
 Telefax/Fax +49 7 11 17-2 22 44  
 dialog@daimler.com  
 www.daimler.com





Daimler AG · 70546 Stuttgart

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/  
Your reference  
04.04.2013

Unser Zeichen, unsere Nachricht vom/  
Our reference  
RD/PDI-F-38149

Name  
E-Mail  
Mrs. Fuchs

Datum/Date  
23.10.2013

## MB-Approval Certificate

New Approval – Engine Oil

### MB-Approval 228.51 for: "TransFlow UD 10W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 16.10.2013 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
Daimler AG

i.V. Dr. Andreas Gorbach

i.V. Dr. Hermann Breitbach



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd  
 Attn. Mr. Vince Miller  
 Dering Way  
 DA12 2QX GRAVESEND  
 UNITED KINGDOM

Telefon/Phone  
 +49 7 11 17-

Telefax/Fax  
 +49 7 11 17-

Hauspost-Code/  
 Internal Code

24801

59756

C651

Ihr Zeichen, Ihre Nachricht vom/  
 Your reference

01.12.2016

Unser Zeichen, unsere Nachricht vom/  
 Our reference

RD/PDI-F-72002

Name  
 E-Mail

Mrs. Fuchs

Datum/Date

15.05.2017

## MB-Approval Certificate

New Approval - Engine Oil

### MB-Approval 229.3 for: "COMMA Syner-G 5W-40" SAE-Grade: 5W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 21.03.2017 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely  
 Daimler AG

i.V. Fritz Kreitmann

i.V. Markus Paule

K: 72004



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd  
 Attn. Mr. V. Pimenta  
 Dering Way  
 DA12 2QX GRAVESEND  
 UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
<b>24801</b>	<b>59756</b>	<b>C401</b>

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
<b>16.10.2014</b>	<b>RD/PDI-F-50083</b>	<b>Mrs. Fuchs</b>	<b>04.12.2014</b>

## MB-Approval Certificate

### MB-Approval 228.3 for Engine Oil: "TransFlow AD 10W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 29.10.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address. Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely  
 Daimler AG

i.V. Dr. Wolfgang Sladek

i.V. Dr. Oliver Storz



CHANGEONS DE VIE  
CHANGEONS L'AUTOMOBILE

RENAULT TECHNOLOGIE ROUMANIE  
RO CTT A00 1 07, Titu, jud.Dambovita  
Str.Aviatorilor, Nr.1, Cod 135500

RENAULT TECHNOLOGIE ROUMANIE  
Mioveni

API :RO MIO 100 P 20  
Sofia-Aurora MONDIRU

Réf. KCM7300-2016-13053

Le 14/04/2016

**Company: Comma Oil & Chemicals Ltd**  
**Address: Dering Way , Gravesend**  
**Kent**  
**DA12 2QX**  
**United Kingdom**

**Objet :** RN Certification – Comma Oil & Chemicals Ltd – Renault approval.

Dear Sir

I am pleased to send you the Renault certificate. Here you can find some details about your RN after sale engine oil :

- “ Comma-Ecoren SAE 5w-30“ : RN0720-16-04

The certification is effective for 4 years (until **14/04/2020**).

Thank you for your cooperation.

Kind regards,

**Marian SIRBU**  
Chef de Service  
« Ingénierie des matériaux»

# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd  
Chris Clarkson  
Dering Way  
Gravesend Kent DA12 2QX  
United Kingdom

CC  
01.08.17  
1437-elf-sk  
9-43156  
9-32371

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

engine.oil.approvals.vwag.r.wob@volkswagen.de

DATUM  
07.10.2017

## Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

### Comma Eurolite SAE 10W-40

has shown that product in question meets the requirements in accordance with VW Standard 501 01 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**“approved under VW Standard 501 01 and VW Standard 505 00”**


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES  
AUFSICHTSRATS:  
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER PÖTSCH

VORSTAND:  
MATTHIAS MÜLLER –  
VORSITZENDER

KARLHEINZ BLESSING  
HERBERT DIESS  
FRANCISCO J. GARCIA SANZ  
JOCHEM HEIZMANN  
ANDREAS RENSCHLER  
RUPERT STADLER  
HILTRUD D. WERNER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd  
Chris Clarkson  
Dering Way  
Gravesend Kent DA12 2QX  
United Kingdom

cc  
19.05.17  
1437-elf-sk  
9-43156  
9-32371

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

engine.oil.approvals.vwag.r.wob@volkswagen.de

30.09.2017 DATUM

## Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

### Comma Prolife SAE 5W-30

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

This engine oil is not suitable for all sales countries given in the approval application due to the local fuel quality.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**“approved under VW Standard 504 00 and VW Standard 507 00”**

This approval is only valid for the following production site:

**Moove Lubricants, Operations Plant, Dering Way, Gravesend  
Kent DA12 2QX, United Kingdom**


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES  
AUFSICHTSRATS:  
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER PÖTSCH

VORSTAND:  
MATTHIAS MÜLLER –  
VORSITZENDER

KARLHEINZ BLESSING  
HERBERT DIESS  
FRANCISCO J. GARCIA SANZ  
JOCHEM HEIZMANN  
ANDREAS RENSCHLER  
RUPERT STADLER  
HILTRUD D. WERNER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd  
Chris Clarkson  
Dering Way  
Gravesend Kent DA12 2QX  
United Kingdom

CC  
21.1.16  
1437-elf-sk  
9-43156  
9-32371

IHRE ZEICHEN  
IHRE NACHRICHT  
UNSERE ZEICHEN  
DURCHWAHL  
TELEFAX  
E-MAIL

engine.oil.approvals.vwag.r.wcb@volkswagen.de

31.12.2016

DATUM

## Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

### Comma Syner-G SAE 5W-40

has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**"approved under VW Standard 502 00 and VW Standard 505 00"**


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES  
AUFSICHTSRATS:  
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER POTSCH

VORSTAND:  
MATTHIAS MÜLLER –  
VORSITZENDER

KARLHEINZ BLESSING  
HERBERT DIESS  
FRANCISCO J. GARCIA SANZ  
JOCHEM HEIZMANN  
CHRISTINE HOHMANN-DENNHARDT  
ANDREAS RENSCHLER  
RUPERT STADLER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

# VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd  
Chris Clarkson  
Dering Way  
Gravesend Kent DA12 2QX  
United Kingdom

cc IHRE ZEICHEN  
11.07.17 IHRE NACHRICHT  
1437-elf-sk UNSERE ZEICHEN  
9-43156 DURCHWAHL  
9-32371 TELEFAX  
E-MAIL

engine.oil.approvals.vwag.r.wob@volkswagen.de

30.09.2017 DATUM

## Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

### Comma Pro-VLL SAE 0W-30

has shown that product in question meets the requirements in accordance with VW Standard 503 00 and VW Standard 506 01. This engine oil is therefore suitable for use in our petrol and diesel engines with LongLife Service, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**“approved under VW Standard 503 00 and VW Standard 506 01”**


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES  
AUF SICHTSRATS:  
KLAUS LIESEN

VORSITZENDER DES AUF SICHTSRATS:  
HANS DIETER PÖTSCH

VORSTAND:  
MATTHIAS MÜLLER –  
VORSITZENDER

KARLHEINZ BLESSING  
HERBERT DIESS  
FRANCISCO J. GARCIA SANZ  
JOCHEM HEIZMANN  
ANDREAS RENSCHLER  
RUPERT STADLER  
HILTRUD D. WERNER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484



# VOLKSWAGEN

AKTIENGESELLSCHAFT



VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Moove Lubricant Ltd  
Chris Clarkson  
Dering Way  
Gravesend  
Kent  
DA12 2QX  
UK

CC IHRE ZEICHEN  
31.10.2018 IHRE NACHRICHT  
1437-elf-sk UNSERE ZEICHEN  
9-43156 DURCHWAHL  
9-32371 TELEFAX  
engine.oil.approvals.vwag.r.wob@volkswagen.de E-MAIL

16.02.2019 DATUM

## Engine Oil

Mr. Chris Clarkson,

Analysis of the engine oil

### Comma PD Plus SAE 5W-40

has shown that product in question meets the requirements in accordance with VW 505 00 and VW Standard 505 01. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

**"approved under VW Standard 505 00 and VW Standard 505 01"**

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

i.V.

Dr. Elfrath

i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT  
38436 WOLFSBURG  
DEUTSCHLAND  
TELEFON +49 5361 9-0  
TELEFAX +49 5361 9-28282  
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:  
HANS DIETER PÖTSCH

VORSTAND:  
HERBERT DIESS –  
VORSITZENDER

OLIVER BLUME  
JOCHIM HEIZMANN  
GUNNAR KILIAN  
ANDREAS RENSCHLER  
STEFAN SOMMER  
HILTRUD D. WERNER  
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT  
SITZ: WOLFSBURG  
AMTSGERICHT BRAUNSCHWEIG  
HRB 100484

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor.



**Volvo Car Corporation**

Document Type  
**APPROVAL FORM**

Product Type  
**ENGINE OIL**

Area of Application  
**SERVICE FILL**

COPYRIGHT VOLVO CAR CORPORATION [2010] AND/OR LICENSED TO VOLVO CAR CORPORATION. ALL RIGHTS RESERVED

Approval Revision  
**001**

Page No  
**1 (1)**

Date of Approval: 2018-02-22

Expiry Date of Approval: 2020-02-22

Document Name

**APPROVAL: ENGINE OIL 95200377 ACEA A5/B5 SAE 0W-30 – SERVICE FILL**

Part must comply with VCC Restricted Substance Management Standard (RSMS) VCS 5036,5

## Technical Approval

### Material Specification Information:

Specification Document No.: 95200377

Specification Name: A5/B5 SAE 0W-30 – Service Fill

Area of application: After Market

Viscosity Grade: 0W-30

ACEA classification: A5/B5-12

### Supplier information:

Company: Moove Lubricants Contact Name: Chris Clarkson

Contact e-mail: Chris.Clarkson@uk.moovelub.com Contact Tel.: +44 7788 390 016


Product Name: Voltech 0W-30 Viscosity Grade: 0W-30

ACEA classification: A5/B5-12

Have there been any modifications since last approval: YES/NO

If "Yes", type of modifications: \_\_\_\_\_

### Approver Information:

Approver Name: Ulf Karlsson Signature: 

Title: Senior Engineer Department: Engine Strategy and Research

Date of approval: 2018-02-22 Expiry date of approval: 2020-02-22



Volvo Group Trucks Technology

## **STD 417-0001 approval**

---

Company name: Comma Oil & Chemicals limited  
Product name: Comma Transflow 10W-30 LAPE  
Viscosity grade: 10W-30

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

**Approval date:** January 30, 2018      **Approval #:** 417-0001-18-1104

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator



Volvo Group Trucks Technology

## **STD 417-0001 approval**

---

Company name: Comma Lubricants and Chemicals Ltd  
Product name: Comma Transflow 10W-40 LA  
Viscosity grade: 10W-40

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

**Approval date:** January 30, 2018      **Approval #:** 417-0001-18-1103

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator



**Volvo Car Corporation**

Document Type  
**APPROVAL FORM**

Product Type  
**ENGINE OIL**

Area of Application  
**SERVICE FILL**

COPYRIGHT VOLVO CAR CORPORATION [2010] AND/OR LICENSED TO VOLVO CAR CORPORATION. ALL RIGHTS RESERVED

Approval Revision  
**001**

Page No  
**1 (1)**

Date of Approval: 2016-10-03

Expiry Date of Approval: 2019-10-03

Document Name

**APPROVAL: ENGINE OIL VCC RBS0-2AE 0W-20 – SERVICE FILL**

Part must comply with VCC Restricted Substance Management Standard (RSMS) VCS 5036,5

## Technical Approval

### Material Specification Information:

Specification Document No.: 8751149

Specification Name: VCC RBS0-2AE 0W-20 – Service Fill

Area of application: After Market

Viscosity Grade: 0W-20

ACEA classification: C2-12 equivalent

### Supplier information:

Oil Company: Comma Oil & Chemicals      Contact Name: Vince Miller

Contact e-mail: Vince.Miller@uk.cosan.com      Contact Tel.: +44 (0)1474546314


Product Name: Comma Eco-V 0W-20      Viscosity Grade: 0W-20

Product Code: \_\_\_\_\_      ACEA classification: C2-12 equivalent

Have there been any modifications since last approval: N/A

If "Yes", type of modifications: \_\_\_\_\_

### Approver Information:

Approver Name: Sabine Fleiss      Signature: 

Title: Senior Engineer      Department: Engine Strategy and Research

Date of approval: 2016-10-03      Expiry date of approval: 2019-10-03



**Corporate Research & Development**

ZF Friedrichshafen AG · 88038 Friedrichshafen

Moove Lubricants  
Comma Works, Dering Way  
DA12 2QX Gravesend

UNITED KINGDOM

Department	DTRM4
From	Stella Braunschweig
Phone	+49 7541 77 7853
Fax	+49 7541 77 907853
E-mail	Stella.Braunschweig@zf.com
Your Ref.	
Our Ref.	
Date	2018-04-03

**Comma PRO EP 75W-90 TDL**

Dear Madam / Sir

We confirm approval of your lubricant Comma PRO EP 75W-90 TDL (ZF approval number ZF003420) for application according to the ZF Lubricant Class/es

- **TE-ML 02B**
- **TE-ML 05A**
- **TE-ML 12L**
- **TE-ML 12N**
- **TE-ML 16F**
- **TE-ML 17B**
- **TE-ML 19C**
- **TE-ML 21A**

Approval is based on the data in your approval application of 2018-01-19. Any alterations of these data will result in withdrawal of approval and the need to submit a new application. You are under the obligation to report any changes to approved products without delay. The approval of this oil is subject to the General Terms and Conditions for Research and Development Services (applicable as of 11/2015) of ZF Friedrichshafen AG.

Approval is valid for 12 months. If after 11 months you use our approval system "lubricant data file" to confirm unaltered condition of the formulation, approval will be extended by another 12 months. If not, approval will automatically be withdrawn. A reminder will be mailed to you in good time.

Best regards

*i.A. Stella Braunschweig*

Stella Braunschweig

Chairman of the Supervisory Board: Dr.-Ing. Franz-Josef Paefgen  
Board of Management: Wolf-Henning Scheider (CEO), Dr. Konstantin Sauer,  
Jürgen Holeksa, Michael Hankel, Wilhelm Rehm, Dr. Franz Kleiner, Peter Lake  
Headquarters: Friedrichshafen •  
Trade register of the municipal court of Ulm HRB 630206

**ZF Friedrichshafen AG**  
Graf-von-Soden-Platz 1  
88046 Friedrichshafen  
Germany  
Phone +49 7541 77-0  
Fax +49 7541 77-908000



Moove Lubricants Europe  
30 Tower View  
Kings Hill, West Malling  
Kent ME19 4UY

**Jaguar Land Rover**  
Abbey Road, Whitley  
Coventry CV3 4LF  
T +44 (0)2476 303 080

FAO. Chris Clarkson

Issue Date: 4 March 2019

Dear Chris,

**Jaguar Land Rover engine oil specification STJLR.51.5122**

Verification certificate for:

Your Brand: Comma Eco-M 0W-20

Your Product Code:

Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.51.5122-16 for use in all Jaguar Land Rover vehicles where STJLR.51.5122 is specified.

This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.51.5122 on your packaging.

This verification is valid until 4 March 2021.

Yours faithfully,

..... Pierre Rabaso,  
Subject Matter Expert, Engine Lubricants.

..... David Williams,  
Principal Engineer, Cooling and Lubricants.

..... Graham Page,  
Chief Engineer, Core Engines.

For and behalf of  
Jaguar Land Rover Limited.



Moove Lubricants Europe  
 30 Tower View  
 Kings Hill, West Malling  
 Kent ME19 4UY

**Jaguar Land Rover**  
 Abbey Road, Whitley  
 Coventry CV3 4LF  
 T +44 (0)2476 303 080

FAO. Chris Clarkson

Issue Date: 30 November 2018

Dear Chris,

**Jaguar Land Rover engine oil specification STJLR.03.5003-16**

Verification certificate for:

Your Brand: Comma Xtech 5W-30


Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5003-16 for use in all Jaguar Land Rover vehicles where STJLR.03.5003 is specified.


This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.


This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5003 on your packaging.

This verification is valid until 30 November 2020.

Yours faithfully,

 ..... Pierre Rabaso,  
 Subject Matter Expert, Engine Lubricants.

 ..... David Williams,  
 Principal Engineer, Cooling and Lubricants.

 ..... Carl White,  
 Senior Manager, Core Engines.

For and behalf of  
 Jaguar Land Rover Limited.





# Certificate of License

Issued to

## Comma Oil & Chemicals Ltd.

This document certifies that the company named above is authorized to use the General Motors dexos2™ trademark in conjunction with the fluid specified below:

Marketing Name: **Comma Syner-Z**  
 SAE Viscosity Grade: **5W-30**  
 Primary License No.: **D20795IB194**  
 License Region: **Europe**  
 Expiration Date: **December 31, 2018**

This fluid has met the rigorous quality requirements for dexos2™ engine oil. The company named above agrees to maintain the terms of and comply with the quality standards set forth in the dexos® Licensing Program Policies and Procedures and License Agreement. The license number shown above must appear on all container labels of licensed product. Should there be any questions regarding this license, please contact the Center for Quality Assurance, the administrator of the dexos® Licensing Program.

Center for Quality Assurance  
 4800 James Savage Road  
 Midland, MI 48642 USA  
 T: +1 989 496 2399  
 F: +1 989 496 3438  
 E: dexos@CenterForQA.com  
 www.CenterForQA.com



Rebecca Cox  
 Authorized Signature

May 17, 2018  
 Date

Subscribed and sworn to before me this:

17th day of May, 2018

YoVonne Decarla Starks, Notary Public  
 County of Saginaw, State of Michigan, USA  
 Acting in the County of Midland, State of Michigan, USA  
 My Commission Expires: January 28, 2020



Moove Lubricants Europe  
 30 Tower View  
 Kings Hill, West Malling  
 Kent ME19 4UY

**Jaguar Land Rover**  
 Abbey Road, Whitley  
 Coventry CV3 4LF  
 T +44 (0)2476 303 080

FAO. Chris Clarkson

Issue Date: 4 March 2019

Dear Chris,

**Jaguar Land Rover engine oil specification STJLR.03.5004**

Verification certificate for:

Your Brand: Comma Eco-F 5W-20


Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5004 for use in all Jaguar Land Rover vehicles where STJLR.03.5004 is specified.


This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5004 on your packaging.

This verification is valid until 4 March 2021.

Yours faithfully,

  
 ..... Pierre Rabaso,  
 Subject Matter Expert, Engine Lubricants.

  
 ..... David Williams,  
 Principal Engineer, Cooling and Lubricants.

  
 ..... Graham Page,  
 Chief Engineer, Core Engines.

For and behalf of  
 Jaguar Land Rover Limited.



Volvo Group Trucks Technology

## STD 417-0002 approval

---

Company name:\* | Moove Lubricants Limited  
Product name:\* | Comma TransFlow SD 15W-40  
Viscosity grade: | 15W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** January 2, 2019      **Approval #:** 417-0002-19-1841

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).